

Plant List for the Hawkeye Wildlife Area near Greencastle Airport, Johnson County, Iowa

Species	Common Name	Family	Locality
<i>Acer negundo</i> L.	Box elder	Aceraceae	
<i>Acer saccharinum</i> L.	Silver maple	Aceraceae	
<i>Achillea millefolium</i> L. ssp. <i>lanulosa</i> (Nutt.) Piper	Yarrow	Asteraceae	
<i>Acorus calamus</i> L.	Sweet Flag	Araceae	
<i>Agalinus tenuifolia</i> (Vahl.) Raf.	Slender-leaf false foxglove	Scrophulariaceae	
<i>Agastache nepetoides</i> (L.) Kuntze.	Yellow giant-hyssop	Lamiaceae	
<i>Agastache scrophulariifolia</i> (Willd.) Kuntze	Purple giant-hyssop	Lamiaceae	Mallard Pools
<i>Agrostis gigantea</i> Roth	Black bent	Poaceae	
<i>Agrostis hyemalis</i> (Walt.) BSP.	Winter bent	Poaceae	
<i>Alisma plantago-aquatica</i> L.	Water plantain	Alismataceae	
<i>Alliaria petiolata</i> (Bieb.) Cavara & Grande	Garlic mustard	Brassicaceae	Mallard Pools, abundant in wooded area
<i>Ambrosia artemisiifolia</i> L.	Common ragweed	Asteraceae	
<i>Ambrosia psilostachya</i> DC.	Western ragweed	Asteraceae	
<i>Ambrosia trifida</i> L.	Giant ragweed	Asteraceae	
<i>Amorpha canescens</i> Pursh	Leadplant	Fabaceae	
<i>Amorpha fruticosa</i> L.	False indigo	Fabaceae	
<i>Amphicarpaea bracteata</i> (L.) Fern.	Hog peanut	Fabaceae	
<i>Androsace occidentalis</i> Pursh	Rock jasmine	Primulaceae	
<i>Anemone canadensis</i> L.	Canada anemone	Ranunculaceae	
<i>Anemone virginiana</i> L.	Tall anemone	Ranunculaceae	
<i>Antennaria neglecta</i> Greene	Pussytoes	Asteraceae	
<i>Antennaria plantaginifolia</i> (L.) Richardson	Ladies'-tobacco	Asteraceae	
<i>Apios americana</i> Medicus	Groundnut	Fabaceae	
<i>Apocynum sibiricum</i> Jacq.	Dogbane	Apocynaceae	
<i>Arctium minus</i> Bernh.	Burdock	Asteraceae	
<i>Asclepias amplexicaulis</i> Smith	Sand milkweed	Asclepiadaceae	
<i>Asclepias incarnata</i> L.	Swamp milkweed	Asclepiadaceae	
<i>Asclepias syriaca</i> L.	Common milkweed	Asclepiadaceae	
<i>Asclepias verticillata</i> L.	Whorled milkweed	Asclepiadaceae	
<i>Asplenium platyneuron</i> (L.) Oakes ex D. C.	Ebony spleenwort	Aspleniaceae	
<i>Aster ericoides</i> L.	Heath aster	Asteraceae	
<i>Aster falcatus</i> Lindl.	Forked aster	Asteraceae	
<i>Aster lanceolatus</i> Willd.	Panicled aster	Asteraceae	
<i>Aster novae-angliae</i> L.	New England aster	Asteraceae	

Based on inventories in 2004 by Thomas Madsen, Honor's Undergraduate in Environmental Sciences, University of Iowa.

Plant List for the Hawkeye Wildlife Area near Greencastle Airport, Johnson County, Iowa

<i>Aster ontarionis</i> Wieg.	Ontario aster	Asteraceae	
<i>Aster puniceus</i> L.	Swamp aster	Asteraceae	
<i>Athyrium filix-femina</i> (L.) Roth var. <i>angustum</i> (Willd.) Moore	Lady fern	Dryopteridaceae	
<i>Barbarea vulgaris</i> R. Br.	Barberry	Brassicaceae	
<i>Betula nigra</i> L.	River birch	Betulaceae	
<i>Bidens cernua</i> L.	Nodding bur marigold	Asteraceae	
<i>Bidens connata</i> Muhl. ex Willd.	Crowned beggarticks	Asteraceae	
<i>Bidens coronata</i> (L.) Britt.	Tickseed sunflower	Asteraceae	
<i>Bidens polylepis</i> Blake	Bearded beggarticks	Asteraceae	
<i>Bidens tripartita</i> L.	Three-lobed beggarticks	Asteraceae	
<i>Boltonia asteroides</i> (L.) L'Hér.	False aster	Asteraceae	
<i>Bouteloua curtipendula</i> (Michx.) Torrey	Side-oats grama	Poaceae	
<i>Bromus commutatus</i> Schrad.	Meadow brome	Poaceae	
<i>Bromus inermis</i> Leysser	Smooth brome	Poaceae	
<i>Calamagrostis canadensis</i>	Bluejoint	Poaceae	
<i>Caltha palustris</i> L.	Marsh marigold	Ranunculaceae	Mallard Pools, locally abundant along stream west of dune
<i>Campanula americana</i> L.	Tall bellflower	Campanulaceae	
<i>Campanula aparinoides</i> Pursh	Marsh bellflower	Campanulaceae	Mallard Pools
<i>Cannabis sativa</i> L.	Hemp	Moraceae	
<i>Capsella bursa-pastoris</i> (L.) Medicus	Shepherd's purse	Brassicaceae	
<i>Cardamine bulbosa</i> (Schreber) BSP.	Spring cress	Brassicaceae	
<i>Cardamine pensylvanica</i> Muhl. ex Willd.	Bitter cress	Brassicaceae	
<i>Carex amphibola</i> Steudel var. <i>turgida</i> Fern.	Eastern narrow-leaf sedge	Cyperaceae	
<i>Carex annectans</i> (Bickn.) Bickn.	Yellow-fruit sedge	Cyperaceae	
<i>Carex bicknellii</i> Britt.	Bicknell's sedge	Cyperaceae	
<i>Carex blanda</i> Dewey	Eastern woodland sedge	Cyperaceae	
<i>Carex brevior</i> (Dewey) Mack. ex Lunell	Short-beak sedge	Cyperaceae	
<i>Carex cephalophora</i> Willd.	Oval-leaf sedge	Cyperaceae	
<i>Carex conoidea</i> Schkuhr ex. Willd.	Open field sedge	Cyperaceae	Mallard Pools, fairly abundant on prairie along SE margin of N pond
<i>Carex cristatella</i> Britton	Crested sedge	Cyperaceae	
<i>Carex davisii</i> Schwein. & Torrey	Davis' sedge	Cyperaceae	
<i>Carex gravida</i> Bailey	Heavy sedge	Cyperaceae	

Based on inventories in 2004 by Thomas Madsen, Honor's Undergraduate in Environmental Sciences, University of Iowa.

Plant List for the Hawkeye Wildlife Area near Greencastle Airport, Johnson County, Iowa

<i>Carex leavenworthii</i> Dewey	Leavenworth's sedge	Cyperaceae	
<i>Carex pensylvanica</i> Lam.	Pennsylvania sedge	Cyperaceae	
<i>Carex rosea</i> Schkuhr ex Willd.	Rosy sedge	Cyperaceae	
<i>Carex scoparia</i> Schkuhr ex Willd.	Pointed broom sedge	Cyperaceae	
<i>Carex stipata</i> Muhl. ex Willd.	Stalk-grain sedge	Cyperaceae	
<i>Carex stricta</i> Lam.	Uptight sedge	Cyperaceae	
<i>Carex vesicaria</i> L.	Lesser bladder sedge	Cyperaceae	
<i>Catalpa speciosa</i> (Warder) Warder ex Engelm.	Cigar tree	Bignoniaceae	
<i>Celastrus scandens</i> L.	Bittersweet	Celastraceae	
<i>Celtis occidentalis</i> L.	Hackberry	Ulmaceae	
<i>Cenchrus longispinus</i> (Hackel) Fern.	Sandbur	Poaceae	
<i>Cephalanthus occidentalis</i> L.	Buttonbush	Rubiaceae	
<i>Cerastium vulgatum</i> L.	Mouse-ear chickweed	Caryophyllaceae	
<i>Ceratophyllum demersum</i> L.	Coontail	Ceratophyllaceae	
<i>Chaerophyllum procumbens</i> (L.) Crantz	Chervil	Apiaceae	
<i>Chamaecrista fasciculata</i> (Michx.) Greene	Partridge pea	Fabaceae	
			Mallard Pools, very abundant on wet meadow directly west of dune. Also present sparingly on wet meadow east of dune.
<i>Chelone glabra</i> L.	White turtlehead	Scrophulariaceae	
<i>Chenopodium berlandieri</i> Moq.	Pit-seed goosefoot	Chenopodiaceae	
<i>Chenopodium desiccatum</i> A. Nelson	Narrow-leaved goosefoot	Chenopodiaceae	
<i>Cicuta maculata</i> L.	Water hemlock	Apiaceae	
<i>Circaea lutetiana</i> L. ssp. <i>canadensis</i> (L.) Ascherson & Magnus	Enchanter's nightshade	Onagraceae	
<i>Cirsium discolor</i> (Muhl. ex Willd) Sprengel	Field thistle	Asteraceae	
<i>Commelina communis</i> L.	Day-flower	Commelinaceae	
<i>Conyza canadensis</i> (L.) Cronq.	Horseweed	Asteraceae	
<i>Cornus drummondii</i> C. A. Meyer	Rough-leaved dogwood	Cornaceae	
<i>Cornus foemina</i> P. Miller ssp. <i>racemosa</i> (Lam.) J. S. Wilson	Gray dogwood	Cornaceae	
<i>Cryptotaenia canadensis</i> (L.) DC.	Honewort	Apiaceae	
<i>Cuscuta coryli</i> Engelm.	Dodder	Convolvulaceae	
<i>Cyperus filiculmis</i> Vahl	Flat sedge	Cyperaceae	
<i>Cyperus schweinitzii</i> Torrey	Sand flat sedge	Cyperaceae	
<i>Cyperus strigosus</i> L.	Straw-color flat sedge	Cyperaceae	

Based on inventories in 2004 by Thomas Madsen, Honor's Undergraduate in Environmental Sciences, University of Iowa.

Plant List for the Hawkeye Wildlife Area near Greencastle Airport, Johnson County, Iowa

<i>Dalea purpurea</i> Vent.	Purple prairie clover	Fabaceae	
<i>Daucus carota</i> L.	Queen Anne's Lace	Apiaceae	
<i>Desmodium canadense</i> (L.) DC.	Showy tick-trefoil	Fabaceae	
<i>Dianthus armeria</i> L.	Deptford pink	Caryophyllaceae	
<i>Dichanthelium acuminatum</i> (Sw.) Gould & Clark var. <i>implicatum</i> (Scribner) Gould & Clark	Tapered rosette-grass	Poaceae	
<i>Dichanthelium acuminatum</i> (Sw.) Gould & Clark var. <i>lindheimeri</i> (Nash) Gould & Clark	Tapered rosette-grass	Poaceae	
<i>Dichanthelium clandestinum</i> (L.) Gould	Deertongue grass	Poaceae	
<i>Dichanthelium oligosanthos</i> (Schultes) Gould var. <i>scribnerianum</i> (Nash) Gould	Heller's rosette grass	Poaceae	
<i>Dichanthelium sabulorum</i> (Lam.) Gould & Clark var. <i>patulum</i> (Scribner & Merr.) Gould & Clark	Hemlock rosette grass	Poaceae	
<i>Echinacea pallida</i> (Nutt.) Nutt.	Pale coneflower	Asteraceae	
<i>Echinacea purpurea</i> (L.) Moench	Purple coneflower	Asteraceae	
<i>Echinochloa muricata</i> (Beauv.) Fern.	Rough barnyard grass	Poaceae	
<i>Elaeagnus umbellata</i> Thunb.	Autumn olive	Elaeagnaceae	
<i>Eleocharis obtusa</i> (Willd.) J.A. Schultes	Blunt spike-rush	Cyperaceae	
<i>Eleocharis smallii</i> Britton	Common spike-rush	Cyperaceae	
<i>Ellisia nyctelea</i> L.	Waterpod	Hydrophyllaceae	
<i>Elymus canadensis</i> L.	Canada wild rye	Poaceae	
<i>Equisetum arvense</i> L.	Common horsetail	Equisetaceae	
<i>Equisetum laevigatum</i> A. Br.	Smooth scouring-rush	Equisetaceae	
<i>Eragrostis spectabilis</i> (Pursh) Steudel	Purple lovegrass	Poaceae	
<i>Erechtites hieracifolia</i> (L.) Raf. ex DC.	Fireweed	Asteraceae	
<i>Erigeron philadelphicus</i> L.	Fleabane	Asteraceae	
<i>Erigeron strigosus</i> Muhl. ex Willd.	Daisy fleabane	Asteraceae	
<i>Eupatorium altissimum</i> L.	Tall thoroughwort	Asteraceae	
<i>Eupatorium maculatum</i> L.	Spotted Joe-Pye-weed	Asteraceae	
<i>Eupatorium perfoliatum</i> L.	Boneset	Asteraceae	
<i>Eupatorium serotinum</i> Michx.	Late boneset	Asteraceae	
<i>Euphorbia corollata</i> L.	Flowering spurge	Euphorbiaceae	
<i>Euphorbia nutans</i> Lag.	Nodding spurge	Euphorbiaceae	
<i>Euthamia graminifolia</i> (L.) Nutt. ex Cass.	Flat-top goldenrod	Asteraceae	

Based on inventories in 2004 by Thomas Madsen, Honor's Undergraduate in Environmental Sciences, University of Iowa.

Plant List for the Hawkeye Wildlife Area near Greencastle Airport, Johnson County, Iowa

<i>Fragaria virginiana</i> Duchesne	Wild strawberry	Rosaceae	
<i>Fraxinus pennsylvanica</i> Marsh var. <i>lanceolata</i> (Borkh.) Sarg.	Green ash	Oleaceae	
<i>Galium aparine</i> L.	Cleavers	Rubiaceae	
<i>Galium tinctorium</i> L.	Stiff bedstraw	Rubiaceae	
<i>Galium triflorum</i> Michx.	Small bedstraw	Rubiaceae	
<i>Gentiana andrewsii</i> Griseb.	Bottle gentian	Gentianaceae	Mallard pools, wet meadow directly east of dune
<i>Geum canadense</i> Jacq.	White avens	Rosaceae	
<i>Geum laciniatum</i> Murray	Rough avens	Rosaceae	
<i>Gleditsia triacanthos</i> L.	Honey locust	Fabaceae	
<i>Glyceria striata</i> (Lam.) A. S. Hitchc.	Fowl manna grass	Poaceae	
<i>Gnaphalium obtusifolium</i> L.	Everlasting	Asteraceae	
<i>Hackelia virginiana</i> (L.) I. M. Johnston	Stickseed	Boraginaceae	
<i>Hedeoma hispidum</i> Pursh	Rough pennyroyal	Lamiaceae	
<i>Helenium autumnale</i> L.	Sneezeweed	Asteraceae	
<i>Helianthus grosseratus</i> Martens	Saw-tooth sunflower	Asteraceae	
<i>Helianthus maximilianii</i> Schrader	Maximillian's sunflower	Asteraceae	
<i>Helianthus strumosus</i> L.	Pale-leaved sunflower	Asteraceae	
<i>Hemerocallis fulva</i> (L.) L.	Daylily	Liliaceae	
<i>Hesperis matronalis</i> L.	Dame's rocket	Brassicaceae	
<i>Humulus japonicus</i> Sieb. & Zucc.	Japanese hops	Moraceae	
<i>Hypericum mutilum</i> L.	Weak St. John's wort	Hypericaceae	
<i>Hypericum sphaerocarpum</i> Michx.	Round-fruited St. John's wort	Hypericaceae	
<i>Hypoxis hirsuta</i> (L.) Cov.	Eastern yellow star-grass	Iridaceae	
<i>Impatiens capensis</i> Meerb.	Spotted touch-me-not	Balsaminaceae	
<i>Juncus interior</i> Wieg.	Inland rush	Juncaceae	
<i>Juniperus virginiana</i> L.	Red cedar	Cupressaceae	
<i>Lactuca canadensis</i> L.	Wild lettuce	Asteraceae	
<i>Lactuca floridana</i> (L.) Gaertner	Blue lettuce	Asteraceae	
<i>Laportea canadensis</i> (L.) Wedd.	Wood nettle	Urticaceae	
<i>Lechea stricta</i> Leggett ex Britt.	Pin weed	Cistaceae	Mallard pools. Large, localized population on dune
<i>Leersia oryzoides</i> (L.) Sw.	Rice cut-grass	Poaceae	
<i>Leersia virginica</i> Willd.	Whitegrass	Poaceae	
<i>Lemna minor</i> L.	Duckweed	Lemnaceae	
<i>Leonurus cardiaca</i> L.	Motherwort	Lamiaceae	

Based on inventories in 2004 by Thomas Madsen, Honor's Undergraduate in Environmental Sciences, University of Iowa.

Plant List for the Hawkeye Wildlife Area near Greencastle Airport, Johnson County, Iowa

<i>Lepidium campestre</i> (L.) R. Br.	Field cress	Brassicaceae	
<i>Lepidium virginicum</i> L.	Poor-man's pepper	Brassicaceae	
<i>Leptoloma cognatum</i> (Schultes) Chase	Fall witchgrass	Poaceae	
<i>Lespedeza capitata</i> Michx.	Round-headed bush clover	Fabaceae	
<i>Lithospermum caroliniense</i> (Walter) MacM.	Hairy puccoon	Boraginaceae	
<i>Lobelia siphilitica</i> L.	Great lobelia	Campanulaceae	
<i>Lonicera maackii</i> (Rupr.) Herder	Amur honeysuckle	Caprifoliaceae	
<i>Ludwigia alternifolia</i> L.	Seedbox	Onagraceae	
<i>Lycopus americanus</i> Muhl. ex Barton	Water horehound	Lamiaceae	
<i>Lythrum alatum</i> Pursh	Winged loosestrife	Lythraceae	
<i>Malus domestica</i> L.	Apple	Rosaceae	
<i>Medicago sativa</i> L.	Alfalfa	Fabaceae	
<i>Melanthium virginicum</i> (L.) Ait. f.	Bunch-flower	Liliaceae	Mallard pools, approximately 12 plants on wet meadow directly west of dune
<i>Melilotus alba</i> Medicus	White sweet clover	Fabaceae	
<i>Melilotus officinalis</i> (L.) Pallas	Yellow sweet clover	Fabaceae	
<i>Menispermum canadense</i> L.	Canada moonseed	Menispermaceae	
<i>Mentha arvensis</i> L.	Wild mint	Lamiaceae	
<i>Mimulus ringens</i> L.	Monkey flower	Scrophulariaceae	
<i>Monarda fistulosa</i> L.	Wild bergamot	Lamiaceae	
<i>Morus alba</i> L.	White mulberry	Moraceae	
<i>Muhlenbergia racemosa</i> (Michx.) BSP.	Marsh muhly	Poaceae	
<i>Muhlenbergia sylvatica</i> (Torrey) Torrey ex Gray	Forest muhly	Poaceae	
<i>Nepeta cataria</i> L.	Catnip	Lamiaceae	
<i>Oenothera rhombipetala</i> Nutt. ex T. & G.	Sand primrose	Onagraceae	
<i>Onoclea sensibilis</i> L.	Sensistive fern	Dryopteridaceae	
<i>Opuntia humifusa</i> (Raf.) Raf.	Eastern prickly pear	Cactaceae	Mallard pools, approximately 5 plants on dune
<i>Oxalis stricta</i> L.	Yelow wood sorrel	Oxalidaceae	
<i>Oxypolis rigidior</i> (L.) Raf.	Cowbane	Apiaceae	Mallard Pools, wet meadow directly west of dune
<i>Panicum virgatum</i> L.	Switchgrass	Poaceae	
<i>Parietaria pensylvanica</i> Muhl. ex Willd.	Pellitory	Urticaceae	
<i>Parthenocissus vitacea</i> (Knerr) A. S. Hitchc.	Woodbine	Vitaceae	
<i>Paspalum setaceum</i> Michx. var. <i>ciliatifolium</i> (Michx.) Vasey	Bead grass	Poaceae	
<i>Paspalum setaceum</i> Michx. var. <i>stramineum</i> (Nash) Fern.	Bead grass	Poaceae	

Plant List for the Hawkeye Wildlife Area near Greencastle Airport, Johnson County, Iowa

<i>Pastinaca sativa</i> L.	Wild parsnip	Apiaceae	
<i>Pedicularis lanceolata</i> Michx.	Swamp lousewort	Scrophulariaceae	Mallard pools, wet meadow directly east of dune
<i>Penstemon digitalis</i> Nutt.	Foxglove penstemon	Scrophulariaceae	
<i>Penthorum sedoides</i> L.	Ditch stonecrop	Saxifragaceae	
<i>Phalaris arundinacea</i> L.	Reed canary grass	Poaceae	
<i>Phleum pratense</i> L.	Timothy	Poaceae	
<i>Phlox maculata</i> L.	Wild sweetwilliam	Polemoniaceae	Mallard Pools, wet meadow directly west of dune
<i>Physalis heterophylla</i> Nees	Clammy ground cherry	Solanaceae	
<i>Physalis virginiana</i> P. Miller	Virginia ground cherry	Solanaceae	
<i>Physostegia parviflora</i> Nutt. ex Gray	Obedient plant	Lamiaceae	
<i>Phytolacca americana</i> L.	Pokeweed	Phytolaccaceae	
<i>Pinus banksiana</i> Lamb.	Jack pine	Pinaceae	
<i>Pinus resinosa</i> Ait.	Red pine	Pinaceae	
<i>Pinus strobus</i> L.	White pine	Pinaceae	
<i>Plantago aristata</i> Michx.	Bracted plantain	Plantaginaceae	
<i>Plantago patagonica</i> Jacq.	Woolly plantain	Plantaginaceae	
<i>Plantago rugelii</i> Dcne.	Common plantain	Plantaginaceae	
<i>Poa pratensis</i> L.	Kentucky bluegrass	Poaceae	
<i>Polemonium reptans</i> L.	Jacob's ladder	Polemoniaceae	
<i>Polygala sanguinea</i> L.	Field milkwort	Polygalaceae	
<i>Polygonum amphibium</i> L.	Water smartweed	Polygonaceae	
<i>Polygonum convolvulus</i> L.	Black bindweed	Polygonaceae	
<i>Polygonum erectum</i> L.	Erect knotweed	Polygonaceae	
<i>Polygonum pensylvanicum</i> L. var. <i>laevigatum</i> Fern.	Pinkweed	Polygonaceae	
<i>Polygonum persicaria</i> L.	Lady's thumb	Polygonaceae	
<i>Polygonum punctatum</i> Ell.	Water smartweed	Polygonaceae	
<i>Polygonum sagittatum</i> L.	Tearthumb	Polygonaceae	
<i>Populus deltoides</i> Bartram ex Marsh.	Cottonwood	Salicaceae	
<i>Potamogeton</i> sp.	Pondweed	Potamogetonaceae	
<i>Potentilla simplex</i> Michx.	Common cinquefoil	Rosaceae	
<i>Prunella vulgaris</i> L.	Self heal	Lamiaceae	
<i>Prunus serotina</i> Ehrh.	Black cherry	Rosaceae	
<i>Pycnanthemum pilosum</i> Nutt.	Hairy mountain mint	Lamiaceae	
<i>Pycnanthemum tenuifolium</i> Schrader	Narrow-leaf mountain mint	Lamiaceae	

Plant List for the Hawkeye Wildlife Area near Greencastle Airport, Johnson County, Iowa

<i>Pycnanthemum virginianum</i> (L.) Dur. & Jackson	Slender mountain mint	Lamiaceae	
<i>Ranunculus abortivus</i> L.	Small-flowered crowfoot	Ranunculaceae	
<i>Ranunculus sceleratus</i> L.	Cursed crowfoot	Ranunculaceae	
<i>Ratibida pinnata</i> (Vent.) Barnh.	Gray-headed coneflower	Asteraceae	
<i>Rhus glabra</i> L.	Smooth sumac	Anacardiaceae	
<i>Ribes missouriense</i> Nutt. ex T. & G.	Gooseberry	Saxifragaceae	
<i>Rorippa palustris</i> (L.) Besser	Marsh cress	Brassicaceae	
<i>Rosa carolina</i> L.	Pasture rose	Rosaceae	
<i>Rosa multiflora</i> Thunb. ex Murray	Multiflora rose	Rosaceae	
<i>Rubus ablatus</i> Bailey	Blackberry	Rosaceae	
<i>Rubus allegheniensis</i> Porter ex Bailey	Blackberry	Rosaceae	
<i>Rubus occidentalis</i> L.	Black raspberry	Rosaceae	
<i>Rudbeckia hirta</i> L.	Black-eyed susan	Asteraceae	
<i>Rudbeckia subtomentosa</i> Pursh	Fragrant coneflower	Asteraceae	
<i>Rumex acetosella</i> L.	Red sorrel	Polygonaceae	
<i>Rumex altissimus</i> Wood	Pale dock	Polygonaceae	
<i>Sagittaria</i> sp.	Arrowhead	Alismataceae	
<i>Salix discolor</i> Muhl.	Pussy willow	Salicaceae	Mallard Pools
<i>Salix nigra</i> Marsh.	Black willow	Salicaceae	
<i>Salix rigida</i> Muhl.	Missouri willow	Salicaceae	
<i>Sambucus canadensis</i> L.	Elderberry	Caprifoliaceae	
<i>Sanicula canadensis</i> L.	Black snakeroot	Apiaceae	
<i>Saxifraga pensylvanica</i> L.	Swamp saxifrage	Saxifragaceae	Mallard Pools, wet meadow directly west of dune
<i>Scirpus atrovirens</i> Willd.	Dark-green bulrush	Cyperaceae	
<i>Scirpus cyperinus</i> (L.) Kunth	Cottongrass bulrush	Cyperaceae	
<i>Scirpus pendulus</i> Muhl.	Rufous bulrush	Cyperaceae	
<i>Scirpus validus</i> Vahl. var. <i>creber</i> Fern.	Soft-stem club-rush	Cyperaceae	
<i>Scleria triglomerata</i> Michx.	Tall nut-rush	Cyperaceae	Mallard Pools, localized population along northeast margin of north pond
<i>Scrophularia marilandica</i> L.	Figwort	Scrophulariaceae	
<i>Scutellaria galericulata</i> L.	Skullcap	Lamiaceae	
<i>Senecio plattensis</i> Nutt.	Prairie ragwort	Asteraceae	
<i>Setaria faberi</i> Herrm.	Giant foxtail	Poaceae	
<i>Setaria viridis</i> (L.) Beauv.	Green foxtail	Poaceae	

Based on inventories in 2004 by Thomas Madsen, Honor's Undergraduate in Environmental Sciences, University of Iowa.

Plant List for the Hawkeye Wildlife Area near Greencastle Airport, Johnson County, Iowa

<i>Sicyos angulatus</i> L.	Bur cucumber	Cucurbitaceae	
<i>Silene antirrhina</i> L.	Sleepy catchfly	Caryophyllaceae	
<i>Silene pratensis</i> (Rafn) Gren. & Godron	White campion	Caryophyllaceae	
<i>Sisyrinchium campestre</i> Bickn.	Blue-eyed grass	Iridaceae	
<i>Smilax hispida</i> Muhl.	Greenbriar	Liliaceae	
<i>Solanum carolinense</i> L.	Horse nettle	Solanaceae	
<i>Solidago canadensis</i> L.	Tall goldenrod	Asteraceae	
<i>Sorghastrum nutans</i> (L.) Nash	Indian grass	Poaceae	
<i>Sparganium</i> sp.	Bur reed	Sparganiaceae	
<i>Spartina pectinata</i> Link	Cord grass	Poaceae	
<i>Sphenopholis obtusata</i> (Michx.) Scribner var. <i>major</i> (Torrey) K. S. Erdman	Wedge grass	Poaceae	
<i>Sphenopholis obtusata</i> (Michx.) Scribner var. <i>obtusata</i>	Wedge grass	Poaceae	
<i>Spiraea alba</i> Du Roi	Meadowsweet	Rosaceae	
<i>Spirodela polyrhiza</i> (L.) Schleidon	Greater duckweed	Lemnaceae	
<i>Sporobolus cryptandrus</i> (Torrey) Gray	Sand dropseed	Poaceae	
<i>Stachys palustris</i> L.	Woundwort	Lamiaceae	
<i>Taraxacum officinale</i> Weber	Dandelion	Asteraceae	
<i>Teucrium canadense</i> L. var. <i>virginicum</i> (L.) Eaton	American germander	Lamiaceae	
<i>Thalictrum dasycarpum</i> Fischer & Ave-Lall.	Purple meadow-rue	Ranunculaceae	
<i>Thelypteris palustris</i> Schott var. <i>pubescens</i> (Lawson) Fern.	Marsh fern	Thelypteridaceae	
<i>Thlaspi arvense</i> L.	Penny cress	Brassicaceae	
<i>Toxicodendron radicans</i> P. Miller	Poison ivy	Anacardiaceae	
<i>Tradescantia ohiensis</i> Raf.	Spiderwort	Commelinaceae	
<i>Tridens flavus</i> (L.) A.S. Hitchc.	Purple top	Poaceae	
<i>Trifolium pratense</i> L.	Red clover	Fabaceae	
<i>Trifolium repens</i> L.	White clover	Fabaceae	
<i>Urtica dioica</i> L.	Nettle	Urticaceae	
<i>Verbascum blattaria</i> L.	Moth mullein	Scrophulariaceae	
<i>Verbascum thapsus</i> L.	Common mullein	Scrophulariaceae	
<i>Verbena hastata</i> L.	Blue vervain	Verbenaceae	
<i>Verbena stricta</i> Vent.	Hoary vervain	Verbenaceae	
<i>Verbena urticifolia</i> L.	White vervain	Verbenaceae	

Plant List for the Hawkeye Wildlife Area near Greencastle Airport, Johnson County, Iowa

<i>Vernonia fasciculata</i> Michx.	Ironweed	Asteraceae	
<i>Veronica arvensis</i> L.	Corn speedwell	Scrophulariaceae	
<i>Veronica peregrina</i> L.	Neckweed	Scrophulariaceae	
<i>Veronicastrum virginicum</i> (L.) Farw.	Culver's root	Scrophulariaceae	
<i>Viola pratensis</i> Greene	Common blue violet	Violaceae	
<i>Vitis riparia</i> Michx.	Riverbank grape	Vitaceae	
<i>Zanthoxylum americanum</i> P. Miller	Prickly ash	Rutaceae	
<i>Zizia aurea</i> (L.) Koch	Golden alexanders	Apiaceae	
<i>Liparis liliifolia</i> (L.) L. C. Rich. ex Lindley	Twayblade	Orchidaceae	Private land along western margin of Mallard pools
<i>Liparis loeselii</i> (L.) L. C. Rich.	Bog twayblade	Orchidaceae	Private land along western margin of Mallard pools

Mosses:

Helodium blandowii (Web. & Mohr) Warnst.

Localized population on wet meadow directly east of dune-Mallard Pools